



in partnership with

LED STRIP DRIVER DALI-PUSHDIM-100W-DT6-4CH-24V BL09962412

LED STRIP > LED Strip DRIVERS AND ACCESSORIES > Alimentation et Accessoires

DALI DT6 converter for RGBW led strip. 4 channels. Compatible with DALI master which supports DT8 controllers

CONTRACTOR



Electric data

Total power (W)	96
Rated voltage (V)	230V
Distorsion harmonique	<15%
Power factor	>0.95
Network frequencies	50Hz , 60Hz
Electric class	ΙΙ
Dimmable	Dali , push dim



FILE UPDATED ON 17/03/2023

Photometric data

Color temperatures	
Light source type	-
SDCM	
IRC	
Safety group (EN62778)	
Luminous flux (lm)	-
ULOR	

Technical data

Dimensions (mm)	244 x 64 x 32
Weight (kg)	0.48
Recessed depth under BA13 (mm)	-
Cable length	0
Product color	White
IK Code	IK07
Incandescent wire test	-
IP Code	IP20
Use temperature range	-20 +45°
Body material	PC
Diffuser material	-
Driver included	No
Recoverable	Non recouvrable




FILE UPDATED ON 17/03/2023


Supplementary data

Warranty period	5 years
Light beam spread	
Tiltable	No
Connection type	Connector on the product


Other

Plan





Other





FILE UPDATED ON 17/03/2023