





RESI PORTHOLE

HUBLOT RESI-ROUND-BLACK-20W-CCT-DETECT

TR12205404

OUTDOOR > Outdoor Wall Light
OUTDOOR > Outdoor Bulkhead
OUTDOOR > Ceiling Lights

Round black HF detector porthole ideal for collective or individual residential. On wall-mounted or ceiling-mounted balconies, this residential square porthole will give a touch of modernity to all your creations.



Application domain

- Parkings lots and underground passages
- Garages
- Outdoor residential
- Garden
- Outdoor Parking
- Circulations areas
- Cloakrooms
- Outdoor Circulations
- Locaux techniques





2100 lm IRC >80 IP54

IP65 facade 3 CCT 3000K / 4000K 5500K

D



Electric data

Total power (W)	20
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	50Hz
Electric class	II
Dimmable	No

Photometric data

Color temperatures	3000K / 4000K / 5500K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	2100lm (4000K)
ULOR	-



Technical data

Diameter (mm)	275
Height (mm)	59
Recessed diameter (mm)	-
Weight (kg)	0.88
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	Black
IK Code	IK08
Incandescent wire test	850°C
IP Code	IP54 - IP65 facade
Use temperature range	-20 +50°
Body material	PC
Diffuser material	PC
Sensor	Haute fréquence
Driver included	Yes
Recoverable	Non recouvrable

Supplementary data

Warranty period	5 years
Light beam spread	120°
Tiltable	No
Connection type	Connecteur rapide avec repiquage
Linked products	TR12205403 - PORTHOLE RESI-ROUND-NR-20W-CCT





