



export price list

valid from: **august 2023**



Index

ELEKTRA MD Heating Mats	5
ELEKTRA MG Heating Mats	6
ELEKTRA WoodTec™ Heating Foils	7
ELEKTRA SnowTec® Heating Mats	8
ELEKTRA SnowTec® _{Tuff} Heating Mats	9
ELEKTRA UltraTec Heating Cables	10
ELEKTRA DM Heating Cables	11
ELEKTRA VCD Heating Cables	12
ELEKTRA VC Heating Cables	17
ELEKTRA TuffTec™ Heating Cables	20
ELEKTRA VCDR Heating Cables	21
ELEKTRA FreezeTec® Heating Cables	22
ELEKTRA BET Heating Cables	22
ELEKTRA SelfTec® Heating Cables	23
ELEKTRA Installation Accessories	25
ELEKTRA MMV Portable Heating Mats	26
ELEKTRA MMR Portable Heating Mats	26
ELEKTRA MMT Portable Heating Sleeves	26
ELEKTRA Towel Dryers	27
ELEKTRA Temperature Controllers	28

ELEKTRA MD Heating Mats

Twin-conductor. Single-side power supply.



type	dimensions [m x m]	area [m ²]	power [W]	price [SEK]	EAN
------	--------------------	------------------------	-----------	-------------	-----

100 W/m²

MD 100/1.0	0.5 x 2.0	1.0	100	822,00	5908310931418
MD 100/1.5	0.5 x 3.0	1.5	150	975,60	5908310931425
MD 100/2.0	0.5 x 4.0	2.0	200	1260,00	5908310931432
MD 100/2.5	0.5 x 5.0	2.5	250	1444,80	5908310931449
MD 100/3.0	0.5 x 6.0	3.0	300	1590,00	5908310931456
MD 100/3.5	0.5 x 7.0	3.5	350	1704,00	5908310931463
MD 100/4.0	0.5 x 8.0	4.0	400	1916,40	5908310931470
MD 100/4.5	0.5 x 9.0	4.5	450	2106,00	5908310931487
MD 100/5.0	0.5 x 10.0	5.0	500	2290,80	5908310931494
MD 100/6.0	0.5 x 12.0	6.0	600	2460,00	5908310931500
MD 100/8.0	0.5 x 16.0	8.0	800	2562,00	5908310931593
MD 100/10.0	0.5 x 20.0	10.0	1000	3040,80	5908310931609
MD 100/12.0	0.5 x 24.0	12.0	1200	3440,40	5908310931098



160 W/m²

MD 160/0.5	0.5 x 1.0	0.5	80	780,00	5908310931197
MD 160/1.0	0.5 x 2.0	1.0	160	895,20	5908310931517
MD 160/1.5	0.5 x 3.0	1.5	240	1 114,80	5908310931524
MD 160/2.0	0.5 x 4.0	2.0	320	1 394,40	5908310931531
MD 160/2.5	0.5 x 5.0	2.5	400	1 592,40	5908310931548
MD 160/3.0	0.5 x 6.0	3.0	480	1 840,80	5908310931555
MD 160/3.5	0.5 x 7.0	3.5	560	2 016,00	5908310931562
MD 160/4.0	0.5 x 8.0	4.0	640	2 251,20	5908310931579
MD 160/5.0	0.5 x 10.0	5.0	800	2 482,80	5908310931616
MD 160/6.0	0.5 x 12.0	6.0	960	2 748,00	5908310931623
MD 160/7.0	0.5 x 14.0	7.0	1120	3 394,80	5908310931630
MD 160/8.0	0.5 x 16.0	8.0	1280	3 618,00	5908310931647
MD 160/9.0	0.5 x 18.0	9.0	1440	3 957,60	5908310931876
MD 160/10.0	0.5 x 20.0	10.0	1600	4 242,00	5908310931104

ELEKTRA MG Heating Mats

Single-conductor. Double-side power supply.



type	dimensions [m x m]	area [m ²]	power [W]	price [SEK]	EAN
------	--------------------	------------------------	-----------	-------------	-----

100 W/m²

MG 100/3.0	0.5 x 6.0	3.0	300	1229,16 *	5908310931241
MG 100/3.5	0.5 x 7.0	3.5	350	1294,08 *	5908310931258
MG 100/4.5	0.5 x 9.0	4.5	450	1618,32 *	5908310931265
MG 100/9.0	0.5 x 18.0	9.0	900	2267,04 *	5908310931302

160 W/m²



MG 160/1.0	0.5 x 2.0	1.0	160	714,96 *	5908310931319
MG 160/1.5	0.5 x 3.0	1.5	240	881,88 *	5908310931326
MG 160/2.0	0.5 x 4.0	2.0	320	1 099,08 *	5908310931333
MG 160/2.5	0.5 x 5.0	2.5	400	1 249,32 *	5908310931340
MG 160/3.0	0.5 x 6.0	3.0	480	1 466,52 *	5908310931357
MG 160/3.5	0.5 x 7.0	3.5	560	1 600,08 *	5908310931364
MG 160/4.0	0.5 x 8.0	4.0	640	1 783,80 *	5908310931371
MG 160/5.0	0.5 x 10.0	5.0	800	2 101,20 *	5908310931388
MG 160/6.0	0.5 x 12.0	6.0	960	2 335,08 *	5908310931395
MG 160/7.0	0.5 x 14.0	7.0	1120	2 368,44 *	5908310931401
MG 160/8.0	0.5 x 16.0	8.0	1280	2 669,16 *	5908310931678
MG 160/9.0	0.5 x 18.0	9.0	1440	2 886,24 *	5908310931685
MG 160/10.0	0.5 x 20.0	10.0	1600	3 136,68 *	5908310931692



ELEKTRA WoodTec™ Heating Foils

Under-laminate heating solution.

type	dimensions [m x m]	area [m ²]	power [W]	price [SEK]	EAN
------	--------------------	------------------------	-----------	-------------	-----

WoodTec₁™ Single-conductor. Double-side power supply. **60W/m²**.



WoodTec ₁ ™ 60/2.0	0.5 x 4.0	2.0	120	907,68 *	5908310939506
WoodTec ₁ ™ 60/3.0	0.5 x 6.0	3.0	180	1 150,44 *	5908310939513
WoodTec ₁ ™ 60/4.0	0.5 x 8.0	4.0	240	1 362,96 *	5908310939520
WoodTec ₁ ™ 60/10.0	0.5 x 20.0	10.0	600	2 486,64 *	5908310939551

WoodTec₂™ Twin-conductor. Single-side power supply. **70W/m²**.



WoodTec ₂ ™ 70/2.0	0.5 x 4.0	2.0	140	1 144,80	5908310939605
WoodTec ₂ ™ 70/3.0	0.5 x 6.0	3.0	210	1 443,60	5908310939612
WoodTec ₂ ™ 70/4.0	0.5 x 8.0	4.0	280	1 743,60	5908310939629
WoodTec ₂ ™ 70/6.0	0.5 x 12.0	6.0	420	2 208,00	5908310939636
WoodTec ₂ ™ 70/8.0	0.5 x 16.0	8.0	560	2 653,20	5908310939643
WoodTec ₂ ™ 70/11.0	0.5 x 22.0	11.0	770	3 404,40	5908310939650
WoodTec ₂ ™ 70/13.0	0.5 x 26.0	13.0	910	3 975,60	5908310939667

WoodTec₂™ Twin-conductor. Single-side power supply. **140W/m²**.



WoodTec ₂ ™ 140/3.0	0.5 x 6.0	3.0	420	1 682,40	5908310939384
WoodTec ₂ ™ 140/4.0	0.5 x 8.0	4.0	560	1 960,80	5908310939391
WoodTec ₂ ™ 140/5.0	0.5 x 10.0	5.0	700	2 247,60	5908310939407
WoodTec ₂ ™ 140/6.0	0.5 x 12.0	6.0	840	2 526,00	5908310939414
WoodTec ₂ ™ 140/8.0	0.5 x 16.0	8.0	1120	3 046,80	5908310939421
WoodTec ₂ ™ 140/10.0	0.5 x 20.0	10.0	1400	3 816,00	5908310939438

ELEKTRA SnowTec® Heating Mats

Outdoor applications.



type	dimensions [m x m]	area [m ²]	power [W]	price [SEK]	EAN
------	--------------------	------------------------	-----------	-------------	-----

300 W/m² 230 V

SnowTec® 300/2	2.0 x 0.6	1.2	400	722,40	5908310937007
SnowTec® 300/3	3.0 x 0.6	1.8	520	849,60	5908310937014
SnowTec® 300/4	4.0 x 0.6	2.4	670	1 000,80	5908310937021
SnowTec® 300/5	5.0 x 0.6	3.0	930	1 257,60	5908310937038
SnowTec® 300/7	7.0 x 0.6	4.2	1140	1 348,80	5908310937045
SnowTec® 300/10	10.0 x 0.6	6.0	1860	2 258,40	5908310937052
SnowTec® 300/13	13.0 x 0.6	7.8	2560	2 768,40	5908310937069
SnowTec® 300/16	16.0 x 0.6	9.6	2890	3 111,60	5908310937076
SnowTec® 300/21	21.0 x 0.6	12.6	3730	3 842,40	5908310937083



SnowTec® 300/3.1/0.4	3.1 x 0.4	1.2	370	720,00	5906726705951
SnowTec® 300/4.3/0.4	4.3 x 0.4	1.7	520	853,20	5906726705968
SnowTec® 300/5.0/0.4	5.0 x 0.4	2.0	590	903,60	5906726705975
SnowTec® 300/7.7/0.4	7.7 x 0.4	3.1	930	1 255,20	5906726705982
SnowTec® 300/9.6/0.4	9.6 x 0.4	3.8	1150	1 368,00	5906726705999
SnowTec® 300/12.5/0.4	12.5 x 0.4	5.0	1500	1 755,60	5906726706002
SnowTec® 300/15.0/0.4	15.0 x 0.4	6.0	1830	2 254,80	5906726706019
SnowTec® 300/16.5/0.4	16.5 x 0.4	6.6	2000	2 332,80	5906726706026
SnowTec® 300/20.0/0.4	20.0 x 0.4	8.0	2360	2 766,00	5906726706033
SnowTec® 300/24.0/0.4	24.0 x 0.4	9.6	2840	3 090,00	5906726706040



300 W/m² 400 V

SnowTec® 300/2 400V	2.0 x 0.6	1.2	400	831,60	5906726701533
SnowTec® 300/3 400V	3.0 x 0.6	1.8	600	970,80	5906726701540
SnowTec® 300/4 400V	4.0 x 0.6	2.4	820	1 155,60	5906726701557
SnowTec® 300/5 400V	5.0 x 0.6	3.0	950	1 453,20	5906726701564
SnowTec® 300/7 400V	7.0 x 0.6	4.2	1360	1 536,00	5906726701571
SnowTec® 300/9 400V	9.0 x 0.6	5.4	1680	2 472,00	5906726701588
SnowTec® 300/11 400V	11.0 x 0.6	6.6	2100	2 703,60	5906726701595
SnowTec® 300/13 400V	13.0 x 0.6	7.8	2360	3 055,20	5906726701601
SnowTec® 300/15 400V	15.0 x 0.6	9.0	2650	3 536,40	5906726701618
SnowTec® 300/20 400V	20.0 x 0.6	12.0	3550	4 149,60	5906726701625
SnowTec® 300/25 400V	25.0 x 0.6	15.0	4600	5 344,80	5906726701632

ELEKTRA SnowTec®_{Tuff} Heating Mats

Outdoor applications.



type	dimensions [m x m]	area [m ²]	power [W]	price [SEK]	EAN
------	--------------------	------------------------	-----------	-------------	-----

400 W/m² 230 V

SnowTec® _{Tuff} 400/1.5	0.6 x 1.5	0.9	310	751,20	5906726703469
SnowTec® _{Tuff} 400/3.0	0.6 x 3.0	1.8	730	1 126,80	5906726703476
SnowTec® _{Tuff} 400/4.5	0.6 x 4.5	2.7	1100	1 536,00	5906726705203
SnowTec® _{Tuff} 400/6.0	0.6 x 6.0	3.6	1350	1 728,00	5906726703483
SnowTec® _{Tuff} 400/7.5	0.6 x 7.5	4.5	1800	2 160,00	5906726705210
SnowTec® _{Tuff} 400/9.0	0.6 x 9.0	5.4	2150	2 602,80	5906726703490
SnowTec® _{Tuff} 400/10.0	0.6 x 10.0	6.0	2350	2 788,80	5906726705227
SnowTec® _{Tuff} 400/12.0	0.6 x 12.0	7.2	2800	3 177,60	5906726703506
SnowTec® _{Tuff} 400/14.0	0.6 x 14.0	8.4	3400	3 367,20	5906726703513
SnowTec® _{Tuff} 400/16.0	0.6 x 16.0	9.6	3650	4 107,60	5906726703520
SnowTec® _{Tuff} 400/18.0	0.6 x 18.0	10.8	4400	4 335,60	5906726703537



400 W/m² 400 V

SnowTec® _{Tuff} 400/2.5 400V	0.6 x 2.5	1.5	560	1 089,60	5906726703575
SnowTec® _{Tuff} 400/5.0 400V	0.6 x 5.0	3.0	1260	1 687,20	5906726703582
SnowTec® _{Tuff} 400/8.0 400V	0.6 x 8.0	4.8	1940	2 469,60	5906726705234
SnowTec® _{Tuff} 400/10.0 400V	0.6 x 10.0	6.0	2350	2 998,80	5906726703599
SnowTec® _{Tuff} 400/13.0 400V	0.6 x 13.0	7.8	3100	3 697,20	5906726705241
SnowTec® _{Tuff} 400/15.0 400V	0.6 x 15.0	9.0	3870	4 381,20	5906726703605
SnowTec® _{Tuff} 400/17.0 400V	0.6 x 17.0	10.2	4150	5 137,20	5906726705258
SnowTec® _{Tuff} 400/20.0 400V	0.6 x 20.0	12.0	4910	5 770,80	5906726703612
SnowTec® _{Tuff} 400/22.0 400V	0.6 x 22.0	13.2	5310	6 180,00	5906726705265
SnowTec® _{Tuff} 400/25.0 400V	0.6 x 25.0	15.0	5800	6 307,20	5906726703629
SnowTec® _{Tuff} 400/27.0 400V	0.6 x 27.0	16.2	6480	7 239,60	5906726703636

ELEKTRA UltraTec Heating Cables

Twin-conductor. Single-side power supply. Ultra-thin.



type	length [m]	power [W]	price [SEK]	EAN
10 W/m				
UltraTec 10/90	8.5	90	511,20	5906726701106
UltraTec 10/135	13.5	135	622,80	5906726701113
UltraTec 10/145	15.0	145	649,20	5906726701120
UltraTec 10/220	22.5	220	792,00	5906726701137
UltraTec 10/285	28.5	285	900,00	5906726701144
UltraTec 10/320	32.0	320	976,80	5906726701151
UltraTec 10/400	40.0	400	1 124,40	5906726701168
UltraTec 10/450	45.0	450	1 249,20	5906726701175
UltraTec 10/555	55.0	555	1 444,80	5906726701182
UltraTec 10/690	70.0	690	1 681,20	5906726701199
UltraTec 10/780	78.0	780	1 857,60	5906726701205
UltraTec 10/980	98.0	980	2 199,60	5906726701212
UltraTec 10/1100	110.0	1100	2 490,00	5906726701229
UltraTec 10/1320	132.0	1320	2 860,80	5906726701236
UltraTec 10/1650	165.0	1650	3 800,40	5906726701243
UltraTec 10/2050	203.0	2050	5 017,20	5906726701250



ELEKTRA DM Heating Cables

Twin-conductor. Single-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
10 W/m				
DM 10/90	8.5	90	481,20	5908310930800
DM 10/135	13.5	135	560,40	5908310930817
DM 10/145	15.0	145	588,00	5908310930824
DM 10/220	22.5	220	680,40	5908310930831
DM 10/285	28.5	285	759,60	5908310930848
DM 10/320	32.0	320	835,20	5908310930855
DM 10/400	40.0	400	919,20	5908310930862
DM 10/450	45.0	450	1 016,40	5908310930879
DM 10/555	55.0	555	1 152,00	5908310930886
DM 10/690	70.0	690	1 338,00	5908310930893
DM 10/780	78.0	780	1 510,80	5908310930909
DM 10/980	98.0	980	1 858,80	5908310930916
DM 10/1100	110.0	1100	2 151,60	5908310930923
DM 10/1320	132.0	1320	2 528,40	5908310930930
DM 10/1650	165.0	1650	3 096,00	5908310930947
DM 10/2050	203.0	2050	3 762,00	5908310930954

ELEKTRA VCD Heating Cables

Twin-conductor. Single-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
7 W/m				
VCD 7/75	11.0	75	543,62 *	5906726707467
VCD 7/115	16.0	115	575,93 *	5906726707474
VCD 7/140	20.0	140	608,96 *	5906726707481
VCD 7/195	28.0	195	744,52 *	5906726707498
VCD 7/265	38.0	265	1 049,38 *	5906726707504
VCD 7/305	44.0	305	1 162,43 *	5906726707511
VCD 7/350	50.0	350	1 352,79 *	5906726707528
VCD 7/475	68.0	475	1 778,19 *	5906726707535
VCD 7/590	84.0	590	1 924,95 *	5906726707542
VCD 7/770	109.0	770	2 460,13 *	5906726707559
VCD 7/925	132.0	925	2 971,54 *	5906726707566
VCD 7/1020	145.0	1020	3 198,92 *	5906726707573
VCD 7/1210	173.0	1210	3 394,42 *	5906726707580
VCD 7/1320	186.0	1320	3 714,67 *	5906726707597
VCD 7/1460	208.0	1460	4 263,77 *	5906726707603
VCD 7/1610	228.0	1610	4 494,72 *	5906726707610
VCD 7/1700	243.0	1700	4 851,92 *	5906726707627



ELEKTRA VCD Heating Cables

Twin-conductor. Single-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
10 W/m				
VCD 10/70	7.5	70	480,90	5908310935218
VCD 10/90	9.0	90	504,17	5908310935225
VCD 10/110	11.0	110	525,49	5908310935232
VCD 10/135	13.5	135	530,72	5908310935249
VCD 10/170	16.5	170	557,94	5908310935256
VCD 10/200	20.0	200	591,78	5908310935263
VCD 10/235	23.5	235	653,82	5908310931890
VCD 10/265	27.0	265	683,79	5908310931906
VCD 10/315	32.0	315	812,71	5908310931913
VCD 10/370	36.5	370	848,23	5908310931920
VCD 10/415	42.0	415	1 000,63	5908310931937
VCD 10/460	46.0	460	1 144,32	5908310931944
VCD 10/570	57.0	570	1 281,44	5908310935331
VCD 10/700	70.0	700	1 475,31	5908310931951
VCD 10/910	92.0	910	1 886,96	5908310935355
VCD 10/1100	111.0	1100	2 274,75	5908310935362
VCD 10/1220	122.0	1220	2 317,16	5908310935379
VCD 10/1450	144.0	1450	2 822,53	5908310931968
VCD 10/1560	156.0	1560	3 163,23	5908310935393
VCD 10/1740	174.0	1740	3 209,68	5908310935409
VCD 10/1920	191.0	1920	3 485,20	5908310935416
VCD 10/2030	203.0	2030	3 979,65	5908310935423
VCD 10/2260	225.0	2260	4 328,22	5908310935430



ELEKTRA VCD Heating Cables

Twin-conductor. Single-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
17 W/m				
VCD 17/100	5.5	100	480,28	5908310935515
VCD 17/140	8.5	140	525,76	5908310935522
VCD 17/180	10.0	180	561,12	5908310935539
VCD 17/215	13.0	215	592,38	5908310935546
VCD 17/260	15.5	260	608,33	5908310935553
VCD 17/305	18.0	305	624,85	5908310935560
VCD 17/350	20.5	350	664,14	5908310935577
VCD 17/410	24.5	410	755,24	5908310935584
VCD 17/480	28.0	480	831,98	5908310931975
VCD 17/545	32.0	545	865,08	5908310931982
VCD 17/610	35.0	610	969,73	5908310931999
VCD 17/745	43.0	745	1 095,88	5908310935621
VCD 17/910	54.0	910	1 245,11	5908310935638
VCD 17/1200	70.0	1200	1 716,10	5908310935645
VCD 17/1430	85.0	1430	1 983,77	5908310935652
VCD 17/1590	93.0	1590	2 050,44	5908310935669
VCD 17/1900	110.0	1900	2 314,35	5908310932002
VCD 17/2030	120.0	2030	2 594,69	5908310935683
VCD 17/2280	133.0	2280	2 728,63	5908310935690
VCD 17/2490	147.0	2490	2 893,45	5908310935706
VCD 17/2660	155.0	2660	3 355,27	5908310935713
VCD 17/2950	172.0	2950	3 668,83	5908310935720



ELEKTRA VCD Heating Cables

Twin-conductor. Single-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
25 W/m 230 V				
VCD 25/120	4.5	120	356,82	5908310935812
VCD 25/170	7.0	170	521,41	5908310935829
VCD 25/265	10.5	265	570,41	5908310935836
VCD 25/320	12.5	320	587,08	5908310935843
VCD 25/365	15.0	365	603,75	5908310935850
VCD 25/420	17.0	420	626,24	5908310935867
VCD 25/505	20.0	505	689,21	5908310932057
VCD 25/585	23.0	585	733,47	5908310932064
VCD 25/655	26.5	655	827,47	5908310932071
VCD 25/725	29.5	725	883,02	5908310935904
VCD 25/890	36.0	890	1 015,41	5908310935911
VCD 25/1120	44.0	1120	1 144,14	5908310935928
VCD 25/1450	58.0	1450	1 509,70	5908310935935
VCD 25/1740	70.0	1740	1 819,36	5908310935942
VCD 25/1910	77.0	1910	1 968,92	5908310935959
VCD 25/2270	92.0	2270	2 254,36	5908310932088
VCD 25/2480	98.0	2480	2 342,72	5908310935973
VCD 25/2730	110.0	2730	2 424,91	5908310935980
VCD 25/3030	120.0	3030	2 781,56	5908310935997
VCD 25/3300	130.0	3300	3 205,27	5908310936000
VCD 25/3550	142.0	3550	3 346,35	5908310936017

ELEKTRA VCD Heating Cables

Twin-conductor. Single-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
25 W/m 400 V				
VCD 25/200 400V	8.0	200	573,48	5906726701700
VCD 25/300 400V	12.0	300	638,96	5906726701717
VCD 25/470 400V	18.0	470	734,97	5906726701724
VCD 25/550 400V	22.0	550	792,73	5906726701731
VCD 25/635 400V	26.0	635	899,66	5906726701748
VCD 25/720 400V	30.0	720	978,94	5906726701755
VCD 25/870 400V	35.0	870	1 091,08	5906726701762
VCD 25/1020 400V	40.0	1020	1 160,05	5906726701779
VCD 25/1170 400V	45.0	1170	1 239,46	5906726701786
VCD 25/1280 400V	50.0	1280	1 397,29	5906726701793
VCD 25/1570 400V	62.0	1570	1 622,58	5906726701809
VCD 25/1930 400V	77.0	1930	2 134,51	5906726701816
VCD 25/2530 400V	100.0	2530	2 511,17	5906726701823
VCD 25/3070 400V	120.0	3070	2 996,69	5906726701830
VCD 25/3350 400V	135.0	3350	3 196,68	5906726701847
VCD 25/3970 400V	160.0	3970	3 697,51	5906726701854
VCD 25/4280 400V	172.0	4280	3 785,40	5906726701861
VCD 25/4820 400V	190.0	4820	4 143,36	5906726701878
VCD 25/5260 400V	210.0	5260	4 548,78	5906726701885
VCD 25/5600 400V	225.0	5600	5 115,01	5906726701892
VCD 25/6150 400V	250.0	6150	5 540,90	5906726701908

