

POGO

# POGO REG-CCT 3000K 4000K-1200MM-14W

TR11112001

**INDOOR** > Backlighting strip

**OUTDOOR** > Ceiling Lights

Ideal for indirect lighting, this economical 230V product is very easy to install! Accessories included in the product allow the connection between the products. The color temperature changes on the product.



## Application domain

- Residential indoor
- Bedroom
- Backlight



14 W

1400  
lm

IRC  
>80

IP20

2 CCT 3000K / 4000K

E



FILE UPDATED ON 30/11/2022

## Electric data

Total power (W)	14
Rated voltage (V)	230V
Distorsion harmonique	<30%
Power factor	>0.9
Network frequencies	50Hz
Electric class	II
Dimmable	No

## Power supply data

Max. lamp per B10A circuit breaker	20
Max. lamp per B16A circuit breaker	25
Max. lamp per C16A circuit breaker	30

## Photometric data

Color temperatures	3000K / 4000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>6
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	1400lm (3000K)
ULOR	-



FILE UPDATED ON 30/11/2022



## Technical data

Dimensions (mm)	1174 x 24 x 36
Weight (kg)	0.32
Recessed depth under BA13 (mm)	-
Cable length	150 + 25 cm
Product color	White
IK Code	IK06
Incandescent wire test	650°C
IP Code	IP20
Use temperature range	-20... +40°
Body material	PC
Diffuser material	PC
Driver included	Yes

## Liefe time

L70 à 25°	25 000 h
-----------	----------

## Supplementary data

Warranty period	3 years
Light beam spread	120°
Tiltable	No
Connection type	male FR plug
Linked products	<ul style="list-style-type: none"><li>• TR11042001 - POGO 2CCT-300MM</li><li>• TR11082001 - POGO 2CCT-600MM</li><li>• BL11082002 - POGO REG-600-8W-4000K-INTER</li></ul>



FILE UPDATED ON 30/11/2022




## Accessories

---



## Atmosphere

---



## Other

---



FILE UPDATED ON 30/11/2022