





KIT PROFILE ALU-2M-12x16

BL3000040

LED STRIP > Profiles **DRIVERS AND ACCESSORIES** > Alimentation et Accessoires

Led profile with its accessories (end caps) which has a height of 12mm. Surface mounting / recessed in wood, with straight opal diffuser



(€

Electric data

| Total power (W) | - |
|-----------------------|----|
| Rated voltage (V) | - |
| Distorsion harmonique | - |
| Power factor | - |
| Network frequencies | - |
| Electric class | - |
| Dimmable | No |

*be-lec

Photometric data

| Color temperatures | - |
|------------------------|---|
| Light source type | - |
| SDCM | - |
| IRC | - |
| Safety group (EN62778) | - |
| Luminous flux (lm) | - |
| ULOR | - |

Technical data

| Dimensions (mm) | 2000 x 16 x 12 |
|--------------------------------|----------------|
| Weight (kg) | 0.32 |
| Recessed depth under BA13 (mm) | - |
| Cable length | - |
| Product color | Grey |
| IK Code | - |
| Incandescent wire test | - |
| IP Code | - |
| Use temperature range | - |
| Body material | Aluminium |
| Diffuser material | PC |
| Driver included | No |



Supplementary data

| Warranty period | 5 years |
|-------------------|---------|
| Light beam spread | |
| Tiltable | No |

